

Date of issue 27/7/98

Page 1 of 3

Safety, handling and use are in conformity with the EEC directive 88/379 and 91/155 (and further directives connected to it)

<p>1 Product identification</p> <p>- Product name :</p> <p>- Name of the company / producer :</p>	<p>Acecril (component part B) PRESSING DENTAL SRL Via Edoardo Collamarini 5/d 47041 Dogana Repubblica di San Marino Tel **378-909948 Fax. **378-909958</p>
<p>2. Composition information</p> <p>- Nature :</p> <p>- Components :</p> <p>Ethyl cyanocrylate</p> <p>Polyalkyl methacrylate:</p>	<p>- Cyanoacrylic adhesive</p> <p>- % Min 60 – Max 100 EEC Classification</p> <p>- 5,00 10,00</p>
<p>3 Possible dangers</p>	<p>- It sticks to skin and eyes immediately. Highly reactive in water (see section 4 "First Aid").</p>
<p>4 First Aid</p> <p>- Inhalation</p> <p>- Contact with the skin</p> <p>- Contact with the eyes</p> <p>- Swallowing</p>	<p>- Take the affected person to the open air.</p> <p>- Avoid to force the stuck parts apart, but gently detach the surfaces by means of a smooth edge (like a spoon), preferably after dipping the area in hot water with soap.</p> <p>- If the eyelids are stuck, free the eyelashes with a wet cloth and hotwater.</p> <p>The cyanoacrylate binds itself to the eye protein, thus causing tears which favour the release of the eyelashes. Keep the eye covered until the adhesive is totally removed, normally after 1 to 3 days.</p> <p>Do not try to force the eye open.</p> <p>Contact a doctor in case some solid cyanoacrylate particles trapped behind the eyelids cause damages due to abrasion.</p> <p>- Make sure that the airways are free. The product polymerizes immediately in the mouth and it is almost impossible to swallow it. The saliva detaches the solidified product from the mouth slowly (some hours).</p>

ACECRIL B

PRESSING DENTAL Srl Via Edoardo Collamarini 5/d 47041 Dogana Repubblica di San Marino

Emergency contact number : Phone (int.**)378-909948 Telefax (int. **) 378-909958

Safety Data Sheet Date 1996-01-02 Page 1 of 3

<p>5. Fire-fighting measures</p> <ul style="list-style-type: none"> - Flammability : - In case of fire : - Toxic fumes : <p>6. What to do in case of accidental spills</p>	<ul style="list-style-type: none"> - Non-flammable product - Flash point higher than 80°C - Should the product catch fire, extinguish the fire with dry powder, foam or carbon dioxide. - Traces of toxic fumes could develop during incineration; self-breathing set is recommended. <p>- Air the place, do not clean with rags. Polymerize with water and scrape the floor.</p>
<p>7. Handling and storing</p> <ul style="list-style-type: none"> - Handling : - Storing : 	<ul style="list-style-type: none"> - (Low level) ventilation is advisable in case of big volumes or in presence of odour (the odour threshold is about 1-2 ppm). It is advisable to use a metering unit to minimize the risk of contact with skin and eyes. - Store in the original container at 8° C - 21°C and do not store the remaining material in the containers as contamination could reduce the product efficiency.
<p>8. Exposure control/ Personal protective equipment</p> <ul style="list-style-type: none"> - Hands : - Eyes : 	<ul style="list-style-type: none"> - It is advisable to wear polyethylene or polypropylene gloves. Do not use PVC, rubber or nylon gloves. - Use eye protections in case of danger of splashes. - The limit value of the similar methylcyanoacrylate is 2 ppm, ACGIH, TWA.
<p>9. Chemical and physical properties</p> <ul style="list-style-type: none"> - Appearance : - Colour: - Odour : - Ph: - Boiling point: - Flash point (PMCC) °C: - Relative density: - Solubility in water (Kg/m3) - Solubility in acetone: - Vapour pressure (mmHg at 25° C): - Explosion limits %: 	<ul style="list-style-type: none"> - Liquid - Clear, none - Typically acrid - Not applicable - Above 100°C - Above 80°C - 1.1 at 20° C - Not mixable - Not applicable - Lower than 0.5 at 25°C - ND
<p>10. Stability and Reactivity</p> <ul style="list-style-type: none"> - Polymerization : 	<ul style="list-style-type: none"> - Polymerization occurs in presence of humidity.

ACECRIL B

PRESSING DENTAL Srl Via Edoardo Collamarini 5/d 47041 Dogana Repubblica di San Marino

Emergency contact number : Phone (int.***)378-909948 Telefax (int. **) 378-909958

Safety Data Sheet Date 1996-01-02 Page 2 of 3

<p>11. Toxicologic information</p> <ul style="list-style-type: none"> - Inhalation: - Skin: - Eyes: - Swallowing: 	<ul style="list-style-type: none"> - In a dry atmosphere with relative umidity < 50%, the vapours can irritate the eyes and the breathing apparatus. The prolonged exposure to high concentrations of vapours may cause chronic effects in sensitive subjects. - It sticks to the skin immediately. Low toxicity; LD50 acute dermic (rubbit) 2000 mg/kg. Due to the polymerization on the skin, an allergic reaction is not possible. - The liquid product sticks the eyelids, in a dry atmosphere(UR<50%), the vapours can cause irritation and tears. - Cyanoacrylates have a relatively low toxicity. LD50 oral acute> 5000 mg/kg (rat). It is almost impossible to swallow it as it rapidly polymerizes in the mouth.
<p>12. Ecological information</p> <ul style="list-style-type: none"> - Environmental impact: 	<ul style="list-style-type: none"> - Biodegradable product with low ecotoxicity. It does not contain and is not produced with any of the substances listed in the Montreal protocol.
<p>13. Recommendations for disposal</p>	<ul style="list-style-type: none"> - Polymerize by adding water slowly (10:1); dispose of like any other chemical non-toxic solid non-water soluble product in an authorized disposal site or incenerate under controlled conditions.
<p>14. Transport information</p> <ul style="list-style-type: none"> - UN No : - By air (IATA) : - By sea (IMO) : - By road/railway (ADR/RID) : 	<ul style="list-style-type: none"> - None - Not classified - Not classified - Not classified

ACECRIL B

PRESSING DENTAL Srl Via Edoardo Collamarini 5/d 47041 Dogana Repubblica di San Marino

Emergency contact number : Phone (int.**)**378-909948** Telefax (int. **) **378-909958**

Safety Data Sheet Date 1996-01-02 Page 3 of 3

<p>15. Information on regulations</p> <ul style="list-style-type: none"> - Danger labels : - Danger warnings (R): - Safety warnings (S): 	<ul style="list-style-type: none"> - Cyanoacrylate. Danger: It sticks to the skin and the eyes immediately. - Keep away from children - None - None
<p>16. Other information:</p> <p>This information is taken from reliable sources and, to our knowledge, is precise as to the above date. Pressing is not responsible for the use of the information and the use or processing of the above described product/s. The user is invited to pay attention to the possible risks ensuing from an improper use of the product/s.</p>	

ACECRIL B