

SAFETY SHEET**Product FAST TRAY**

Cod. 14001 Natural - 14002 Pink/Purple -14003 Blue.

In compliance with the EC directive 91/155

Date of issue 26.02.1997

Page 1 of 3

1. Identification data of the substance or compound and the manufacturing company - Product date: - Brand name - producer / supplier	 - Brand name FAST TRAY - PRESSING DENTAL SRL Via Edoardo Collamarini 5/d 47041 Dogana Repubblica di San Marino Tel **378-909948 Fax. **378-909958
2. Composition/information on the ingredients	Preparation of acrylic resin, glass powder and silica. Contains urethane dimeth/acrylate, aliphatic dimethacrylate, aromatic dimeth/acrylate.
3. Possible dangers Danger classification :	None, if handled according to directions. Irritating to eyes, respiratory system and skin. - Xi irritant - R 36-37-38 Irritant for the air-ways, eye and the skin - S 26 - 28 Wash under running water for some minutes keeping the eyelids wide open; consult a doctor. In case of skin contact wash immediately with water and soap .
4. First aid - Inhalation: - Contact with the skin: - Contact with the eyes : - Swallowing :	 - In case of prolonged inhalation take patient to a ventilated place; in case of problems, call for a doctor. - Wash immediately with water and soap . - Wash under running water for some minutes keeping the eyelids wide open; consult a doctor. - Not induce vomiting and consult immediately a doctor.
5. Fire-fighting measures - Suitable extinguishers : - Extinguishers not suitable for safety reasons :	 - Powder , sand, foam, carbon dioxide, water spray. - direct jet of water .
6. Measures in case of accidental spills - Personal precautions: - Environment protecting measures: - Cleaning methods:	 - Use only in well-ventilated areas. - do not empty into drains. - Take up mechanically.

FAST TRAY

PRESSING DENTAL Srl Via Edoardo Collamarini 5/d 47041 Dogana Repubblica di San Marino

Emergency contact number : Phone (int.***)378-909948 Telefax (int. **) 378-909958

Safety Data Sheet Date 26.02.1997 Page 1-3

<p>7. Handling and storing</p> <p>Handling:</p> <ul style="list-style-type: none"> - Safe handling: - Measures in case of fire or explosion: <p>Storing:</p> <ul style="list-style-type: none"> - Technical measures: - Storage conditions: - Recommended packaging material: 	<ul style="list-style-type: none"> - Keep the containers well closed - Keep away from heat sources, do not smoke - Take measures against electrostatic charges - Wear suitable gloves. Avoid contact with eyes. <ul style="list-style-type: none"> - Keep container in a well-ventilated place,. - Keep container in a cool (under 25 °C.), dark and dry place in well-closed drums. - Container of solvent-stable plastics.
<p>8. Exposure control - personal protection</p> <ul style="list-style-type: none"> - Engineering measures: <p>Personal protective equipment:</p> <ul style="list-style-type: none"> - General protection measures and hygiene requirements: <ul style="list-style-type: none"> - Safety mask: - Safety gloves: - Safety glasses: 	<ul style="list-style-type: none"> - Use only in well-ventilated areas. <ul style="list-style-type: none"> - Keep away from food, beverages and fodder. - Take the contaminated clothes off immediately and avoid the contact with the skin. - Wash your hands before your work breaks and at the end of the working day. - Not needed if ventilation is sufficient; otherwise, wear a safety mask (filter A) - If the contact with the skin cannot be avoided, use safety gloves to avoid possible sensitization. PVA gloves. - Well -fitting safety glasses.
<p>9. Chemical and physical properties.</p> <ul style="list-style-type: none"> - Shape - Colour - Odour - PH - value: <p>Changes in physical state:</p> <ul style="list-style-type: none"> - Decomposition temperature: - Flash point - Danger of explosion: - Vapour pressure: - Rel. Vapour density: - Density about 20° C. - Solubility in water : 	<ul style="list-style-type: none"> - paste in different colorations (natural, pink/purple, blue and on request other colours) - Esterlike, weak. - not applicable. <ul style="list-style-type: none"> - > ca. 200 °C. - > 150 °C. - not established - < 1 mbar / 20 °C. - < 1 - c.a. 1.8 g/cm³ - c.a. 1 g/l/20 °C.
<p>10. Stability and Reactivity</p> <ul style="list-style-type: none"> - Dangerous decomposition products: - Hazardous reactions: - Materials to avoid: - Hazardous decomposition products: 	<ul style="list-style-type: none"> - at ca. 200 °C. no decomposition, if handled according directions. - Heat, light. - Free radicals, reducing agents, heavy metal ions. - In case of fire acrid acrylic fumes. Cures on exposure to visible UV-light.
<p>11. Toxicologic information</p> <ul style="list-style-type: none"> - Acute oral toxicity LD 50 (Ratte): - On the skin: - On the eyes: - Specific effects: 	<ul style="list-style-type: none"> - > 5000 mg/kg. - Irritating on prolonged exposure - Irritating on prolonged exposure - Allergic reactions to meth/acrylates are possible.

FAST TRAY

PRESSING DENTAL Srl Via Edoardo Collamarini 5/d 47041 Dogana Repubblica di San Marino

Emergency contact number : Phone (int.***)378-909948 Telefax (int. **) 378-909958

Safety Data Sheet Date 26.02.1997 Page 1-3

<p>12. Ecological information</p> <p>- Persistence and degradability:</p>	<p>Do not discharge into drains or the environment.</p> <p>- No data available for the preparation.</p>
<p>13. Recommendations on disposal:</p> <p>- Waste from residues.</p>	<p>- Use proper landfill disposal or incineration in accordance with local, state and federal regulations.</p>
<p>14. Transport information</p> <p>By road/railway : ADR/RID and GGVS/GGVE (beyond the national border)</p> <p>- Class ADR/RID -GGVS/E :</p> <p>- Figure letter :</p> <p>- UN number :</p> <p>- Transport by sea IMDG/GGVSee :</p> <p>- Class IMDG/GGVSee :</p> <p>- Page :</p> <p>- UN number :</p> <p>- Packaging group :</p> <p>- EMS number:</p> <p>- MFAG :</p> <p>-By air ICAO - TI and IATA - DGR :</p> <p>- Class ICAO - IATA :</p> <p>- UN / ID number :</p> <p>- Packaging group :</p>	<p>Not dangerous cargo.</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p> <p>-</p>
<p>15. Information on regulations:</p> <p>- Classification according to the EC regulations:</p> <p>- Product danger labelling:</p> <p>- Dangerous components which require labelling:</p> <p>- Nature of specific risks (phrases R):</p> <p>- Precautions (phrases S)</p>	<p>- The product is classified and codified in compliance with EC directives/norms on dangerous substances</p> <p>- XI irritant</p> <p>Contains Methyl-methacrylate - ester.</p> <p>- 36-37-38 irritant to eyes, airways and skin.</p> <p>- 26-28 in case of contact with the eyes, wash immediately with water and consult a doctor. After contact with skin, wash immediately with plenty of water and soap.</p>
<p>16. Other information</p>	<p>This information is based on our current knowledge, and experience. The data does not signify any warranty with regard to the product's properties.</p>

End of document

Number of pages: 3

FAST TRAY

PRESSING DENTAL Srl Via Edoardo Collamarini 5/d 47041 Dogana Repubblica di San Marino

Emergency contact number : Phone (int.**)**378-909948** Telefax (int. **) **378-909958**

Safety Data Sheet Date 26.02.1997 Page 1-3